

Curve Fit

Notes

Output Created		06-APR-2021 10:40:34
Comments		
Input	Data	D:\ELEX2020\2020-2021\Data\Bab 5\Data 5.2.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	414
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Cases with a missing value in any variable are not used in the analysis.
Syntax		CURVEFIT /VARIABLES=Y WITH X2 /CONSTANT /MODEL=LINEAR /PRINT ANOVA /PLOT FIT /ID=X1.
Resources	Processor Time	00:00:00.16
	Elapsed Time	00:00:00.11
Use	From	First observation
	To	Last observation
Predict	From	First Observation following the use period
	To	Last observation
Time Series Settings (TSET)	Amount of Output	PRINT = DEFAULT
	Saving New Variables	NEWVAR = NONE

Maximum Number of Lags in Autocorrelation or Partial Autocorrelation Plots	MXAUTO = 16
Maximum Number of Lags Per Cross-Correlation Plots	MXCROSS = 7
Maximum Number of New Variables Generated Per Procedure	MXNEWVAR = 60
Maximum Number of New Cases Per Procedure	MXPREDICT = 1000
Treatment of User-Missing Values	MISSING = EXCLUDE
Confidence Interval Percentage Value	CIN = 95
Tolerance for Entering Variables in Regression Equations	TOLER = .0001
Maximum Iterative Parameter Change	CNVERGE = .001
Method of Calculating Std. Errors for Autocorrelations	ACFSE = IND
Length of Seasonal Period	Unspecified
Variable Whose Values Label Observations in Plots	Unspecified
Equations Include	CONSTANT

Model Description

Model Name		MOD_7
Dependent Variable	1	Harga rumah per-unit
Equation	1	Linear
Independent Variable		Umur rumah
Constant		Included
Variable Whose Values Label Observations in Plots		Waktu Transaksi

Case Processing Summary

	N
Total Cases	414
Excluded Cases ^a	0
Forecasted Cases	0

Newly Created Cases	0
---------------------	---

a. Cases with a missing value in any variable are excluded from the analysis.

Variable Processing Summary

		Variables	
		Dependent Harga rumah per-unit	Independent Umur rumah
Number of Positive Values		414	397
Number of Zeros		0	17
Number of Negative Values		0	0
Number of Missing Values	User-Missing	0	0
	System-Missing	0	0

Harga rumah per-unit

Linear

Model Summary

R	R Square	Adjusted R Square	Std. Error of the Estimate
.211	.044	.042	13.318

The independent variable is Umur rumah.

ANOVA


	Sum of Squares	df	Mean Square	F	Sig.
Regression	3390.181	1	3390.181	19.115	.000
Residual	73071.196	412	177.357		

Total	76461.378	413			
-------	-----------	-----	--	--	--

The independent variable is Umur rumah.

Coefficients

	Unstandardized Coefficients		Standardized Coefficients	t	Sig.
	B	Std. Error	Beta		
Umur rumah	-.251	.058	-.211	-4.372	.000
(Constant)	42.435	1.211		35.042	.000



Correlations

Notes

Output Created	06-APR-2021 12:23:38
Comments	

Input	Data	D:\ELEX2020\2020-2021\DATA\Bab 5\Data 5.2.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	414
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax		CORRELATIONS /VARIABLES=X2 Y /PRINT=TWOTAIL NOSIG /MISSING=PAIRWISE.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.01

Correlations

		Umur rumah	Harga rumah per-unit
Umur rumah	Pearson Correlation	1	-.211**
	Sig. (2-tailed)		.000
	N	414	414
Harga rumah per-unit	Pearson Correlation	-.211**	1
	Sig. (2-tailed)	.000	
	N	414	414

** . Correlation is significant at the 0.01 level (2-tailed).