

```

GET
  FILE='C:\Users\Yhp\OneDrive\Documents\Data Nilai Siswa.sav'.
DATASET NAME DataSet1 WINDOW=FRONT.
FREQUENCIES VARIABLES=K3
  /STATISTICS=MINIMUM MAXIMUM MEAN MODE
  /HISTOGRAM NORMAL
  /ORDER=ANALYSIS.

```

Frequencies

Notes		
Output Created		08-FEB-2021 08:29:11
Comments		
Input	Data	C:\Users\Yhp\OneDrive\Documents\Data Nilai Siswa.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	32
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=K3 /STATISTICS=MINIMUM MAXIMUM MEAN MODE /HISTOGRAM NORMAL /ORDER=ANALYSIS.
Resources	Processor Time	00:00:02.31
	Elapsed Time	00:00:01.74

[DataSet1] C:\Users\Yhp\OneDrive\Documents\Data Nilai Siswa.sav


Statistics

Nilai Kelas 3

N	Valid	28
	Missing	4
Mean		11.7143
Mode		15.00
Minimum		5.00
Maximum		19.00

Nilai Kelas 3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	5.00	1	3.1	3.6	3.6
	6.00	3	9.4	10.7	14.3
	8.00	2	6.3	7.1	21.4
	9.00	1	3.1	3.6	25.0
	10.00	4	12.5	14.3	39.3
	11.00	3	9.4	10.7	50.0
	12.00	2	6.3	7.1	57.1
	14.00	3	9.4	10.7	67.9
	15.00	6	18.8	21.4	89.3
	16.00	2	6.3	7.1	96.4
	19.00	1	3.1	3.6	100.0
	Total	28	87.5	100.0	
Missing	System	4	12.5		
Total		32	100.0		



```

GET
  FILE='C:\Users\hpy\OneDrive\Documents\Data Siswa Baru Disertai Nilai.sav'.
DATASET NAME DataSet2 WINDOW=FRONT.
GET
  FILE='C:\Users\hpy\OneDrive\Documents\Data Siswa Baru.sav'.
DATASET NAME DataSet3 WINDOW=FRONT.
GET
  FILE='C:\Users\hpy\OneDrive\Documents\Data Lengkap Nilai Siswa.sav'.
DATASET NAME DataSet4 WINDOW=FRONT.
DATASET ACTIVATE DataSet4.

SAVE OUTFILE='C:\Users\hpy\OneDrive\Documents\Data Lengkap Nilai Siswa.sav'
  /COMPRESSED.
SUMMARIZE
  /TABLES=K3 BY WB
  /FORMAT=VALIDLIST NOCASENUM TOTAL LIMIT=100
  /TITLE='Case Summaries'
  /MISSING=VARIABLE
  /CELLS=COUNT MAX MIN.

```

Summarize

Notes

Comments		
Input	Data	C:\Users\Yhp\OneDrive\Documents\Data Lengkap Nilai Siswa.sav
	Active Dataset	DataSet4
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	30
Missing Value Handling	Definition of Missing	For each dependent variable in a table, user-defined missing values for the dependent and all grouping variables are treated as missing.
	Cases Used	Cases used for each table have no missing values in any independent variable, and not all dependent variables have missing values.
Syntax		SUMMARIZE /TABLES=K3 BY WB /FORMAT=VALIDLIST NOCASENUM TOTAL LIMIT=100 /TITLE='Case Summaries' /MISSING=VARIABLE /CELLS=COUNT MAX MIN.
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.07

[DataSet4] C:\Users\Yhp\OneDrive\Documents\Data Lengkap Nilai Siswa.sav

Case Processing Summary^a

Included	Cases	Total
	Excluded	

	N	Percent	N	Percent	N	Percent
Nilai Kelas 3 * Waktu Belajar	30	100.0%	0	0.0%	30	100.0%

a. Limited to first 100 cases.

Case Summaries^a

		Nilai Kelas 3	
Waktu Belajar	Kurang dari 2 jam	1	14.00
		2	14.00
		3	5.00
		4	10.00
		5	15.00
		6	8.00
		7	11.00
		8	15.00
	Total	N	8
		Maximum	15.00
		Minimum	5.00
	2 sampai 5 jam	1	6.00
		2	6.00
		3	10.00
		4	10.00
		5	15.00
		6	11.00
		7	6.00
		8	19.00
		9	15.00
		10	9.00
		11	11.00
		12	10.00
		13	15.00
		14	16.00
		15	12.00
		16	11.00
		17	11.00
	Total	N	17
		Maximum	19.00
		Minimum	6.00
	5 sampai 10 jam	1	15.00

		2	12.00
		3	16.00
		4	14.00
		5	8.00
		Total	N
			5
			Maximum
Total			16.00
			Minimum
			8.00
		N	30
		Maximum	19.00
		Minimum	5.00

a. Limited to first 100 cases.