

```

WEIGHT BY Jumlah.
CROSSTABS
  /TABLES=BB BY Urutan
  /FORMAT=AVALUE TABLES
  /STATISTICS=CHISQ CC GAMMA
  /CELLS=COUNT
  /COUNT ROUND CELL.

```

Crosstabs

Notes		
Output Created		14-MAR-2021 16:00:24
Comments		
Input	Data	D:\ELEX2020\2020-2021\Data\Input\Data 8.1.sav
	Active Dataset	DataSet2
	Filter	<none>
	Weight	Jumlah
	Split File	<none>
	N of Rows in Working Data File	12
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=BB BY Urutan /FORMAT=AVALUE TABLES /STATISTICS=CHISQ CC GAMMA /CELLS=COUNT /COUNT ROUND CELL.
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.01
	Dimensions Requested	2

Cells Available	524245
-----------------	--------

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
Berat Badan * Urutan Kelahiran	300	100.0%	0	0.0%	300	100.0%

Berat Badan * Urutan Kelahiran Crosstabulation

Count

		Urutan Kelahiran				
		Anak pertama	Anak kedua	Anak ketiga	Anak keempat seterusnya	
Berat Badan	di bawah rata-rata	70	15	10	5	
	rata-rata	10	60	20	10	
	di atas rata-rata	10	15	35	40	
Total		90	90	65	55	

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)
Pearson Chi-Square	178.706 ^a	6	.000
Likelihood Ratio	168.468	6	.000
Linear-by-Linear Association	102.353	1	.000
N of Valid Cases	300		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 18.33.

Symmetric Measures

	Value	Asymptotic Standard Error ^a	Approximate T ^b	

Nominal by Nominal	Contingency Coefficient	.611			
Ordinal by Ordinal	Gamma	.699	.048	12.506	
N of Valid Cases		300			