

List of Algorithm in Exhaustive search

Putranto

July 22, 2016

Algorithm 1: Hamming distance between two vector (**hamdist**)

Input: vector u and v (same length)

Output: hamming distance of u and v

Algorithm 2: Check for three consecutive 1's (**cekcons1**)

Input: a binary vector v

```
1  $n \leftarrow \text{length}(v)$ ;  
2 for  $i \leftarrow 0$  to  $n - 2$  do  
3    $t \leftarrow [v_i, v_{i+1}, v_{i+2}]$  if  $\text{sum}(t) = 3$  then  
4     return true  
5   else  
6     return false
```

Algorithm 3: Check for three consecutive 0's (**cekcons0**)

Input: a binary vector v

```
1  $n \leftarrow \text{length}(v)$ ;  
2 for  $i \leftarrow 0$  to  $n - 2$  do  
3    $t \leftarrow [v_i, v_{i+1}, v_{i+2}]$  if  $\text{sum}(t) = 0$  then  
4     return true  
5   else  
6     return false
```

Algorithm 4: Check for balancedness of a vector (**isbalance**)

Input: binary vector v
1 $n1 \leftarrow$ number of 1's in v ;
2 $n0 \leftarrow$ number of 0's in v ;
3 **if** $n1 = n0$ **then**
4 | **return** *true*;
5 **else**
6 | **return** *false*;

Algorithm 5: Check for similarity of two vector (**isidentic**)

Input: two vector with same length: u, v
1 **if** $u = v$ **then**
2 | **return** *true*
3 **else**
4 | **return** *false*

Algorithm 6: Check rows for 1st and 3rd constraint satisability (**checkforconsrow**)

Input: matrix A
1 **for** a **in** rows of A **do**
2 | **if** $\text{cekcons0}(a) = \text{true}$ **or** $\text{cekcons1}(a) = \text{true}$ **or** $\text{isbalance}(a) =$
3 | | *false* **then**
4 | | **return** *false*
5 **return** *true*

Algorithm 7: Check a matrix for 1st and 3rd constraint satisability (**checkforcons**)

Input: a matrix A representing binary puzzle
1 **if** $\text{checkforconsrow}(A) = \text{false}$ **or** $\text{checkforconsrow}(A^\top) = \text{false}$
2 **then**
3 | **return** *false*
4 **else**
5 | **return** *true*

Algorithm 8: Forced move for columns w.r.t. 3^{rd} constraint (partdistinctrow)

Input: a matrix A representing binary puzzle, filled with 1, 0, and 9 (blank)

```

1 for  $a$  in rows of  $A$  do
2    $n_1 \leftarrow$  number of 1's in  $a$  ;
3    $n_0 \leftarrow$  number of 0's in  $a$  ;
4    $n_{blank} \leftarrow$  number of blanks in  $a$  ;
5   if  $n_{blank} = 2$  and  $n_1 = n_2$  then
6     for  $b$  in rows in  $A \setminus a$  do
7       if hamdist( $a, b$ ) = 2 then
8          $a_{i_{blank}} \leftarrow \bar{b}_i$  ;           /* replace blank cell  $a_i$  */

```

Algorithm 9: Iteratively forced move for matrix w.r.t. 3^{rd} constraint (partdistinct)

Input: a matrix A representing binary puzzle, filled with 1, 0, and 9 (blank)

```

1  $B \leftarrow$  partdistinctrow( $A$ );
2  $B^\top \leftarrow$  partdistinctrow( $B^\top$ );
3 if  $B = A$  then
4   return  $B$ 
5 else
6   partdistinct( $B$ )

```

Algorithm 10: Forced move a vector w.r.t. 2^{nd} constraint (partbal)

Input: a vector v with even length.

```

1  $n_0 \leftarrow$  number of 0's in  $v$  ;
2  $n_{blank} \leftarrow$  number of blanks in  $a$  ;
3  $m \leftarrow \text{length}(v)/2$ ;
4 if  $n_{blank} = 1$  then
5   if  $n_0 = m$  then
6      $v_{i_{blank}} = 1$ 
7   else
8      $v_{i_{blank}} = 0$ 
9 return  $v$ 

```

Algorithm 11: Forced move a matrix w.r.t. 2^{nd} constraint (**fill2cons**)

Input: a matrix A representing binary puzzle, filled with 1, 0, and 9
(blank)

```

1 for  $a$  in rows of  $A$  do
2    $\lfloor$  partbal ( $a$ )
3 for  $a$  in columns of  $A$  do
4    $\lfloor$  partbal ( $a$ )

```

Algorithm 12: Forced move a matrix w.r.t. 2^{nd} constraint (**fill2consB**)

Input: a matrix A representing binary puzzle, filled with 1, 0, and 9
(blank)

```

1  $B \leftarrow \text{fill2cons}(A)$  ;
2 if  $B = A$  then
3    $\lfloor$  return  $B$ 
4 else
5    $\lfloor$  return fill2consB( $B$ )

```

Algorithm 13: Forced move a vector w.r.t. 1^{st} constraint (**partnocons**)

Input: a vector v with length 3

```

1  $n_1 \leftarrow$  number of 1's in  $v$  ;
2  $n_0 \leftarrow$  number of 0's in  $v$  ;
3  $n_{blank} \leftarrow$  number of blanks in  $v$  ;
4 if  $n_{blank} = 1$  and  $n_1 = 2$  then
5    $\lfloor$   $v_{i_{blank}} = 0$ 
6 else if  $n_{blank} = 1$  and  $n_0 = 2$  then
7    $\lfloor$   $v_{i_{blank}} = 1$ 

```

Algorithm 14: Forced move a matrix w.r.t. 1^{st} constraint (**fill1cons**)

Input: a matrix A representing binary puzzle, filled with 1, 0, and 9
(blank)

```

1  $nr \leftarrow$  number of rows in  $A$  ;
2  $nc \leftarrow$  number of columns in  $A$  ;
3 for  $a$  in rows of  $A$  do
4   for  $i$  in  $[0 \dots nc - 3]$  do
5      $\lfloor$  partnocons( $[a[i], a[i + 1], a[i + 2]]$ )
6 for  $a$  in columns of  $A$  do
7   for  $i$  in  $[0 \dots nr - 3]$  do
8      $\lfloor$  partnocons( $[a[i], a[i + 1], a[i + 2]]$ )

```

Algorithm 15: Forced move w.r.t. 1st constraint (**fill1consB**)

Input: a matrix A representing binary puzzle, filled with 1, 0, and 9
(blank)

```
1  $B \leftarrow \text{fill1cons}(A)$  ;  
2 if  $B = A$  then  
3   | return  $B$   
4 else  
5   | return  $\text{fill1consB}(B)$ 
```

Algorithm 16: Forced move w.r.t. all constraint (**solvepart1**)

Input: a matrix A representing binary puzzle, filled with 1, 0, and 9
(blank)

```
1  $B = \text{fill1consB}(A)$  ;  
2  $B = \text{fill2consB}(B)$  ;  
3  $B = \text{partdistinct}(B)$  ;  
4 if  $B = A$  then  
5   | return ( $B$ )  
6 else  
7   | return ( $\text{solvepart1}(A1)$ )
```

Algorithm 17: Wrapper for puzzle guessing (**solvepart2**)

Input: a matrix A representing binary puzzle, *history_of_changed_cell*,
guess_counter

```
1 Fill a blank cell in  $A$  with either 0 or 1 ;  
2  $B \leftarrow \text{solvepart1}(A)$  ;  
3  $\text{guess\_counter} + = 1$  ;  
4  $\text{history\_of\_changed\_cell}_{\text{guess\_counter}} \leftarrow$  list of changed and guessed cells;  
5 return  $B$ , history_of_changed_cell, guess_counter
```

Algorithm 18: Wrapper for binario solver (`solvepuzzle`)

Input: a matrix A representing binary puzzle, filled with 1, 0, and 9 (blank)

```
1  $B \leftarrow \text{solvepart1}(A)$ ;      /* Try to solve using forced move. */
2  $\text{guess\_list} \leftarrow []$ ;
3  $n_{\text{blank}} \leftarrow$  number of blank in  $B$ ;
4  $\text{guess\_counter} \leftarrow 0$ ;
5  $\text{history\_of\_changed\_cell} \leftarrow \{\}$ ;
6 if  $B$  does not satisfy all the constraint then
7   return  $A$  is invalid puzzle
8 while  $n_{\text{blank}} \neq 0$  do
9    $B, \text{history\_of\_changed\_cell}, \text{guess\_counter} \leftarrow$ 
    $\text{solvepart2}(B, \text{history\_of\_changed\_cell}, \text{guess\_counter})$ ;
10  if  $B$  does not satisfy all the constraint then
11     $\text{guess\_counter} - = 1$ ;
12    while  $\text{guess\_counter}$  in  $\text{guess\_list}$  do
13      remove  $\text{guess\_counter}$  from  $\text{guess\_list}$ ;
14       $\text{guess\_counter} - = 1$ ;
15      if  $\text{guess\_counter} = 0$  then
16        return  $A$  is invalid puzzle
17    revert back to condition at  $\text{guess\_counter}$ ;
18    append( $\text{guess\_counter}$ ) to  $\text{guess\_list}$ 
19 return  $B$ 
```
